

DEPARTMENT OF TRANSPORTATION

ES-OE MS #43
1727 30TH Street, 2ND Floor
Sacramento, CA 95816



May 18, 2001

08-SBd-15,40-69.2/74.1, 0.0/0.2
08-350724
DPS-C020(004)N

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in SAN BERNARDINO COUNTY IN BARSTOW FROM 0.5 MILE NORTH OF THE LENWOOD ROAD OVERCROSSING TO THE ROUTE 15/40 SEPARATION.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on May 24, 2001.

This addendum is being issued to revise the Notice to Contractors and Special Provisions.

In the Special Provisions, Section 10-1.41, "CONCRETE STRUCTURES," is revised as attached.

To Proposal and Contract book holders:

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it.

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Plans, Specifications & Estimates Branch
Office of Office Engineer

Attachment

10-1.41 CONCRETE STRUCTURES

Minor concrete structures and Class A concrete (Box Culvert) shall conform to the provisions in Section 51, "Concrete Structures," of the Standard Specifications and these special provisions.

Earthwork for Class A concrete (Box Culvert), including sand bedding, shall conform to the requirements in Section 19, "Earthwork," of the Standard Specifications.

Reinforcement for Class A concrete and minor concrete shall conform to Section 52 of the Standard Specifications.

Laying of Class A concrete (Box Culvert) shall conform to the requirements for laying reinforced concrete pipe in Section 65-1.07, "Laying Pipe," of the Standard Specifications and these special provisions.

Class A concrete (Box Culvert) will be measured and paid for by cubic yard.

Full compensation for placing bar reinforcing steel and erecting Class A concrete (Box Culvert) members shall be considered as included in the contract price paid per cubic yard for Class A concrete (Box Culvert) and no additional compensation will be allowed therefor.

Full compensation for placing bar reinforcing steel for minor concrete structures shall be considered as included in the contract price paid per cubic yard for minor concrete structure and no additional payment will be allowed therefor.

Portland cement concrete shall conform to the provisions in "Freezing Condition Requirements" of these special provisions.